	Application No.	Applicant(s)
Notice of Allowability	10/071,348	MEACHAM ET AL.
	Examiner	Art Unit
	Cassandra Cox	2816
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>amendment filed on 06/27/05.</u>		
2. 🔀 The allowed claim(s) is/are <u>1-24</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. Interview Summary Paper No./Mail Dat 08), 7. Examiner's Amendo	e
		MOTHY P. GALLAHAN IVISORY PATENT EXAMINER HANDENOO

NAHALIA AND MAIN Date 20050918

Application/Control Number: 10/071,348 Page 2

Art Unit: 2816

DETAILED ACTION

Allowable Subject Matter

- 1. Claims 1-24 are allowed.
- 2. The following is an examiner's statement of reasons for allowance: After reconsideration of the prior art and an update of the search, the examiner finds there is no strong motivation to modify the Applicant's admitted prior art (Figure 2) to include using a delay locked loop, as claimed, to control the delay lines of the prior art.

 Therefore, claims 1-24 are allowed because the closest prior art of record fails to disclose a circuit as shown in Figure 4 wherein the discriminator includes a delay locked loop (440) comprising a second current controlled delay line (470) substantially similar to the first current controlled delay line (410A), wherein the delay locked loop receives a reference clock signal (CLK) having a time period equal to the desired time delay and adjusts a control current level in the second current controlled delay line (470) until a delay of the second current controlled delay line matches the time period of the reference clock signal (CLK), wherein the control current level is then used to adjust a delay of the first current controlled delay line (410A) in combination with the rest of the limitations of the base claims and any intervening claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2816

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cassandra Cox whose telephone number is 571-272-1741. The examiner can normally be reached on Monday-Thursday from 7:00 AM to 4:30 PM and on alternate Fridays from 7:30 AM to 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Callahan can be reached on 571-272-1740. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

CC

September 18, 2005